# 2014 Consumer Confidence Report

Water System Name:	South Shore Recreation Area	Report Date:	June 24, 2015
· ·	tter quality for many constituents as required oring for the period of January 1 - December	•	•
Este informe contiene entienda bien.	información muy importante sobre su agu	ua potable. Tradú	zcalo ó hable con alguien que lo
Type of water source(s)	in use: Groundwater		
Name & general location	on of source(s): Tallac Well – Tallac Histor	ric Site: Valhalla Ro	oad
0	Assessment information: Assessment Date	e: December 2002, a	a copy is available at LTBMU
Supervisor's Office			
Time and place of regul	larly scheduled board meetings for public par	ticipation: N/A	
For more information, c	contact: Cheryl Schumacher	Phone: (	530 ) 543-2858

#### TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Primary Drinking Water Standards (PDWS)**: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Secondary Drinking Water Standards (SDWS)**: MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

**Regulatory Action Level (AL)**: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**Variances and Exemptions**: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

**ND**: not detectable at testing limit

**ppm**: parts per million or milligrams per liter (mg/L)

**ppb**: parts per billion or micrograms per liter (μg/L)

**ppt**: parts per trillion or nanograms per liter (ng/L)

**ppq**: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

and calcium, and are usually naturally occurring

### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial
  processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural
  application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA								
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	- 101 0	nonths in ation	Mo	CL	MCLG	Typical Source of Bacteria	
Total Coliform Bacteria	(In a mo.) <u>3</u>		1	More than 1 month with		0	Naturally present in the environment	
Fecal Coliform or E. coli	(In the year)		0	A routine sa repeat sampl total colifor sample also coliform or	e detect n and either detects fecal	0	Human and animal fecal waste	
TABLE 2	TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER							
Lead and Copper (complete if lead or copper detected in the last sample set)	(complete if lead or copper detected in the last sample set)  Date  Samples samples collected  Samples level detected in the last sample set)  AL  PHG  Typical Source of Contaminant and the sample set of the samples collected detected sexceeding the samples collected sexceeding the sa						Typical Source of Contaminant	
Lead (ppb)	12/5/2014	10	4.27	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits	
Copper (ppm)	12/5/2014	10	0.076	0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
TABLE 3 – SAMPLING RESULTS FOR SODIUM AND HARDNESS								
Chemical or Constituent (and reporting units)	Sample Date			Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Sodium (ppm)	12/14/04	4.9 ppi	n		none	none	Salt present in the water and is generally naturally occurring	
Hardness (ppm)	12/14/04	48 ppr	n		none	none	Sum of polyvalent cations present in the water, generally magnesium	

<sup>\*</sup>Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided later in this report.

Range of Detections  N/A  NTS WITH A S  Range of Detections  N/A  N/A  N/A	MCL [MRDL]  10 ppb  ECONDAR  MCL  1.0 ppm  500 ppm	PHG (MCLG) [MRDLG]  N/A  Y DRINKIN PHG (MCLG)  N/A	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes.  IG WATER STANDARD  Typical Source of Contaminant  Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.  Runoff/leaching from natural		
NTS WITH A S  Range of Detections  N/A	ECONDAR MCL 1.0 ppm	Y DRINKIN PHG (MCLG) N/A	from orchards; glass and electronics production wastes.  IG WATER STANDARD  Typical Source of Contaminant  Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.  Runoff/leaching from natural		
Range of Detections  N/A  N/A	MCL 1.0 ppm	PHG (MCLG)	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.  Runoff/leaching from natural		
Range of Detections  N/A  N/A	MCL 1.0 ppm	PHG (MCLG)	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.  Runoff/leaching from natural		
N/A		"	plumbing systems; erosion of natural deposits; leaching from wood preservatives. Runoff/leaching from natural		
N/A		"	plumbing systems; erosion of natural deposits; leaching from wood preservatives. Runoff/leaching from natural		
	500 ppm	N/A	Runoff/leaching from natural		
NI/A			deposits; industrial wastes.		
IN/A	5.0 ppm	N/A	Runoff/leaching from natural deposits; seawater influence		
N/A	500 ppm	N/A	Runoff/leaching from natural deposits; seawater influence.		
N/A	1000 ppm	N/A	Runoff/leaching from natural deposits.		
N OF UNREGU	LATED CO	ONTAMINA!	NTS		
Chemical or Constituent Sample Level Detected Range of Notification Level Health Effects Language					
1	N OF UNREGU	N OF UNREGULATED CO	N OF UNREGULATED CONTAMINA  Range of Notification Local		

<sup>\*</sup>Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

### **Additional General Information on Drinking Water**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. South Shore Recreation Area is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

While your drinking water meets the current standard for arsenic, it does contain low levels of arsenic. The standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The California Department of Health Services continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentration and is linked to other health effects Such as skin damage and other circulatory problems.

# Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

Violation     Explanation     Duration     Actions Taken to Correct the Violation     Health Effects Language       1     3 detections of coliform     One month coliform     Chlorinated entire system     Coliform bacteria are naturally present in the environment. They are used a an indicator that potentially
coliform  entire system  bacteria are naturally present in the environment.  They are used a an indicator tha
harmful bacteri may be present.

# For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESUL FECAL INDICATOR-POSITIVE GROUND V					
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
E. coli	(In the year)	N/A	0	(0)	Human and animal fecal waste
Enterococci	(In the year)		TT	n/a	Human and animal fecal waste
Coliphage	(In the year)		TT	n/a	Human and animal fecal waste

# Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL	NOTICE OF FECAL INI	DICATOR-POSITIVE (	GROUND WATER SOURCE S	SAMPLE
_	routine and 2 repeat waters were (-) for coliforms.	_	Total Coliforms. The system	n was disinfected,
1	SPECIAL NOTICE FOR	UNCORRECTED SIG	NIFICANT DEFICIENCIES	
N/A				
	VIOLA	TION OF GROUND W	ATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
N/A				

# For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES					
Treatment Technique <sup>(a)</sup> (Type of approved filtration technology used)					
Turbidity Performance Standards <sup>(b)</sup> (that must be met through the water treatment process)	Turbidity of the filtered water must:  1 – Be less than or equal to NTU in 95% of measurements in a month.  2 – Not exceed NTU for more than eight consecutive hours.  3 – Not exceed NTU at any time.				
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.					
Highest single turbidity measurement during the year					
Number of violations of any surface water treatment requirements					

## **Summary Information for Violation of a Surface Water TT**

VIOLATION OF A SURFACE WATER TT							
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language			
N/A							

<sup>(</sup>a) A required process intended to reduce the level of a contaminant in drinking water.

<sup>(</sup>b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

<sup>\*</sup> Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.

isumer Confidence R	<u>eport</u>			Page 6 o
Sun	nmary Information	for Operating Under	a Variance or Exem	ption
'A				
				_